

Australian Journal of Marine and Freshwater Research

Volume 29

Melbourne 1978

Australian Journal of Marine and Freshwater Research

A medium for original contributions in marine, estuarine, or freshwater research, including oceanography.

Board of Standards

The Board of Standards for this Journal is appointed by the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science and consists of:

L. T. Evans (Chairman)
A. R. H. Cole
R. W. Crompton
B. V. Hamon
G. A. Horridge
L. G. Paleg
A. J. Pittard
J. P. Quirk
B. J. Robinson
D. E. Tribe
C. H. Tyndale-Biscoe
A. B. Wardrop
B. J. Walby (Editor-in-Chief)

Advisory Committee

Acceptance of papers for this Journal is in the hands of an Advisory Committee consisting of a Chairman appointed by the Executive of CSIRO and the Council of the Australian Academy of Science, and members appointed by the Board of Standards.

B. V. Hamon (Chairman)
V. T. Buchwald
W. Dall
D. A. Hancock
B. T. Hart
L. V. Hawkins
P. A. Tyler
W. D. Williams
B. J. Walby (*ex officio*)

Published in Melbourne for the Commonwealth Scientific and Industrial Research Organization and the Australian Academy of Science under the editorial control of L. A. Bennett and A. D. Read.

Issued six times a year.

Annual subscription \$A20

**Australian Journal of Marine
and Freshwater Research**

© CSIRO 1978

All enquiries and manuscripts should be forwarded to:

The Editor-in-Chief
Editorial and Publications Service
CSIRO, 314 Albert Street
East Melbourne, Victoria 3002

ISSN 0067-1940

Indexes to Volume 29

Authors and Titles

- Ahsanullah, M., and Arnott, G. H.
Acute toxicity of copper, cadmium and zinc to larvae of the crab
Paragrapsus quadridentatus
(H. Milne Edwards), and implications for water quality criteria 1
- Albani, A. D.
Recent Foraminifera of an estuarine environment in Broken Bay, New South Wales 355
- Amin, M.
A statistical analysis of storm surges in Torres Strait 479
- Anderson, D. T. *See* Lawson-Kerr, C.
- Arnott, G. H. *See* Ahsanullah, M.
- Auty, E. H.
Reproductive behaviour and early development of the empire fish
Hypseleotris compressus
(Eleotridae) 585
- Bayly, I. A. E.
The occurrence of *Paralabidocera antarctica* (I. C. Thompson)
(Copepoda : Calanoida : Acartiidae) in an Antarctic saline lake 817
- Bell, J. D., Burchmore, J. J., and Pollard, D. A.
Feeding ecology of a scorpaenid fish, the fortescue *Centropogon australis*, from a *Posidonia* seagrass habitat in New South Wales 175
Feeding ecology of three sympatric species of leatherjackets (Pisces : Monacanthidae) from a *Posidonia* seagrass habitat in New South Wales 631
- Bell, J. D. *See also* Bishop, K. A.
- Bishop, K. A., and Bell, J. D.
Aspects of the biology of the Australian grayling *Prototroctes maraena* Günther (Pisces : Prototroctidae) 743
Observations on the fish fauna below Tallowa Dam (Shoalhaven River, New South Wales) during river flow stoppages 543
- Boag, A. J. *See* Slater, S. J. E.
- Buchanan, A. S. *See* Canterford, G. S.
- Burchmore, J. J. *See* Bell, J. D.
- Campbell, I. C.
A biological investigation of an organically polluted urban stream in Victoria 275
Inputs and outputs of water and phosphorus from four Victorian catchments 577
- Campbell, Peter J.
Primary productivity of a hypersaline Antarctic lake 717
- Canterford, G. S., Buchanan, A. S., and Ducker, S. C.
Accumulation of heavy metals by the marine diatom *Ditylum brightwellii* (West) Grunow 613
- Carter, J. G. T., and Nicholas, W. L.
Uptake of zinc by the aquatic larvae of *Simulium ornaticipes* (Diptera : Nematocera) 299
- Coleman, N., Cuff, W., Drummond, M., and Kudenov, J. D.
A quantitative survey of the macrobenthos of Western Port, Victoria 445
- Coomans, A. *See* Decraemer, W.
- Cowper, T. R. *See* Grant, C. J.
- Cresswell, G. R., and Greig, M. A.
Currents and water properties in the north-central Great Barrier Reef during the south-east trade wind season 345
- Cuff, W. *See* Coleman, N.
- Decraemer, W., and Coomans, A.
Scientific report on the Belgian expedition to the Great Barrier Reef in 1967.
Nematodes XII. Ecological notes on the nematode fauna in and around mangroves on Lizard Island 497
Nematodes XIII. A description of four new species and a redescription of four known species from in and around mangroves on Lizard Island 509
- de Forest, A., Murphy, S. P., and Pettis, R. W.
Heavy metals in sediments from the central New South Wales coastal region 777
- de Forest, A., Pettis, R. W., and Fabris, G.
Analytical acceptability of trace metal levels found in oceanic waters around Australia 193

- Drummond, M. *See* Coleman, N.
 Ducker, S. C. *See* Canterford, G. S.
- Easton, A. K.
 A reappraisal of the tides in Spencer Gulf, South Australia 467
- Fabris, G. *See* de Forest, A.
 Fulton, W.
 A description of a new species of *Galaxias* (Pisces : Galaxiidae) from Tasmania 109
 Fulton, W. *See also* McDowall, R. M.
- Gilmartin, Malvern. *See* Revelante, Noelia
 Glaister, J. P.
 Movement and growth of tagged school prawns, *Metapenaeus macleayi* (Haswell) (Crustacea : Penaeidae), in the Clarence River region of northern New South Wales 645
 The impact of river discharge on distribution and production of the school prawn *Metapenaeus macleayi* (Haswell) (Crustacea : Penaeidae) in the Clarence River region, northern New South Wales 311
- Golding, T. J., and Symonds, G.
 Some surface circulation features off Western Australia during 1973-1976 187
- Grant, C. J., Cowper, T. R., and Reid, D. D.
 Age and growth of snoek, *Leionura atun* (Euphrasen), in south-eastern Australian waters 435
- Greig, M. A. *See* Cresswell, G. R.
- Heald, David
 A successful marking method for the saucer scallop *Amusium balloti* (Bernardi) 845
- Holmes, J. C. *See* Redfield, J. A.
 Holmes, R. D. *See* Redfield, J. A.
 Humphrey, G. F.
 The recalculation of marine chlorophyll concentrations with special reference to Australian waters 409
- Jackson, P. D.
 Benthic invertebrate fauna and feeding relationships of brown trout, *Salmo trutta* Linnaeus, and river blackfish, *Gadopsis marmoratus* Richardson, in the Aberfeldy River, Victoria 725
- Spawning and early development of the river blackfish, *Gadopsis marmoratus* Richardson (Gadopsiformes : Gadopsidae), in the McKenzie River, Victoria 293
- Johnson, W. David, *See* Muir, Gregory L.; Toomer, Philip B.
- Joll, L. M.
 Observations on the embryonic development of *Octopus tetricus* (Mollusca : Cephalopoda) 19
- Knott, B., Suter, P. J., and Richardson, A. M. M.
 A preliminary observation on the littoral rock fauna of Hartz Lake and Hartz Creek, southern Tasmania, with notes on the water chemistry of some neighbouring lakes 703
- Kudenov, J. D. *See* Coleman, N.; Poore, Gary C. B.
- Lansbury, I.
 A review of *Goondnomdanepa* Lansbury (Heteroptera : Nepidae) 117
- Lawson-Kerr, C., and Anderson, D. T.
 Reproduction, spawning and development of the starfish *Patiriella exigua* (Lamarck) (Asteroidea : Asterinidae) and some comparisons with *P. calcar* (Lamarck) 45
- Lenanton, R. C. J.
 Age, spawning time, and fecundity of Australian herring (*Arripis georgianus* C. & V.) (Pisces : Arripidae) from the waters around Rottne Island, Western Australia 599
- MacDonald, C. M.
 Morphological and biochemical systematics of Australian freshwater and estuarine percichthyid fishes 667
- Marshall, K. C. *See* Roper, Margaret M.
 McDowall, R. M., and Fulton, W.
 A further new species of *Paragalaxias* Scott (Salmoniformes : Galaxiidae) from Tasmania with a revised key to the species 659
 A revision of the genus *Paragalaxias* Scott (Salmoniformes : Galaxiidae) 93
- Mitchell, B. D.
 Cyclomorphosis in *Daphnia carinata* King (Crustacea : Cladocera) from two adjacent sewage lagoons in South Australia 565

- Morgan, G. R.
Locomotor activity in the western rock
lobster, *Panulirus longipes cygnus* 169
- Muir, Gregory L., and Johnson, W. David
Chemistry of the Bogan River, New South
Wales, with special reference to the
sources of dissolved material 399
- Mulley, J. C. See Shearer, K. D.
- Murphy, S. P. See de Forest, A.
- Neboiss, Arturs
A review of caddis flies from three coastal
islands of south-eastern Queensland
(Insecta : Trichoptera) 825
- Nicholas, W. L. See Carter, J. G. T.
- Nyan Taw and Ritz, D. A.
Zooplankton distribution in relation to
the hydrology of the Derwent River
estuary 763
- Ottaway, J. R.
Population ecology of the intertidal
anemone *Actinia tenebrosa*.
I. Pedal locomotion and intraspecific
aggression 787
- Pettis, R. W. See de Forest, A.
- Pollard, D. A. See Bell, J. D.
- Poore, Gary C. B., and Kudenov, Jerry D.
Benthos around an outfall of the Werribee
sewage-treatment farm, Port Phillip
Bay, Victoria 157
Benthos of the Port of Melbourne: the
Yarra River and Hobsons Bay,
Victoria 141
- Pregenzer, C., Jr.
Pinnotheres hickmani (Guiler) in wild and
cultured *Mytilus edulis* in Port Phillip
Bay, Victoria 127
- Redfield, J. A., Holmes, J. C., and
Holmes, R. D.
Sea snakes of the eastern Gulf of
Carpentaria 325
- Reid, D. D. See Grant, C. J.
- Revelante, Noelia, and Gilmartin, Malvern
Characteristics of the microplankton and
nanoplankton communities of an
Australian coastal plain estuary 9
- Richardson, A. M. M. See Knott, B.
- Ritz, D. A. See Nyan Taw
- Roper, Margaret M., and Marshall, K. C.
Biological control agents of sewage bacteria
in marine habitats 335
- Scott, B. D.
Nutrient cycling and primary production
in Port Hacking, New South
Wales 803
Phytoplankton distribution and light
attenuation in Port Hacking estuary 31
- Shearer, K. D., and Mulley, J. C.
The introduction and distribution of the
carp, *Cyprinus carpio* Linnaeus, in
Australia 551
- Slater, S. J. E., and Boag, A. J.
The phosphorus status of the sediments of
three eutrophic lakes in Victoria 263
- Stanley, C. A.
Area of distribution, movements, age
composition and mortality rates of the
Australian salmon population in
Tasmania, Victoria and New South
Wales 417
- Suter, P. J. See Knott, B.
- Symonds, G. See Golding, T. J.
- Toomer, Philip B., and Johnson, W. David
A modified geometric method of
hydrochemical investigations 259
- Viets, Kurt O.
New water mites (Hydrachnellae : Acari)
from Australia 77
- Walker, M. H.
Food and feeding habits of *Lethrinus
chrysostomus* Richardson (Pisces :
Perciformes) and other lethrinids on
the Great Barrier Reef 623
- Wells, Fred E.
Distribution of thecosomatous pteropods
off the central coast of Western
Australia 853
- Williams, M. J.
Opening of bivalve shells by the mud crab
Scylla serrata Forskål 699
- Womersley, H. B. S.
Southern Australian species of
Ceramium Roth (Rhodophyta) 205
- Young, P. C.
Moreton Bay, Queensland: a nursery
area for juvenile penaeid prawns 55

Subject Index

- Aberfeldy River, Vic., benthic invertebrate fauna and feeding relationships of brown trout and river blackfish 725
- Actinia tenebrosa*, population ecology of 787
- Amusium balloti*, a successful marking method for 845
- Analytical acceptability of trace metal levels found in oceanic waters around Australia 193
- Anemone, *see Actinia tenebrosa*
- Antarctic hypersaline lake, primary productivity of 717
- Antarctic saline lake, occurrence of *Paralabidocera antarctica* in 817
- Arripis georgianus* from the waters around Rottne Island, W.A., age, spawning time and fecundity of 599
- Australian grayling, *see Prototroctes maraena*
- Australian herring, *see Arripis georgianus*
- Australian salmon population in Tasmania, Victoria and New South Wales, area of distribution, movements, age composition and mortality rates of 417
- Belgian expedition to the Great Barrier Reef in 1967. Nematodes XII, XIII 497, 509
- Benthos around an outfall of the Werribee sewage-treatment farm, Port Phillip Bay 157
- Benthos of the Port of Melbourne: the Yarra River and Hobsons Bay 141
- Bivalve shells, opening of, by the mud crab *Scylla serrata* 699
- Bogan River, N.S.W., chemistry of 399
- Broken Bay, N.S.W., Recent Foraminifera of an estuarine environment in 355
- Brown trout, *see Salmo trutta*
- Caddis flies from three coastal islands of south-eastern Queensland 825
- Cadmium toxicity to larvae of the crab *Paragrapsus quadridentatus* 1
- Carp, *see Cyprinus carpio*
- Centropogon australis* from a *Posidonia* seagrass habitat in New South Wales, feeding ecology of 175
- Ceramium* Roth, southern Australian species of 205
- Chemistry of the Bogan River, N.S.W., with special reference to the sources of dissolved material 399
- Chlorophyll concentrations, marine, recalculation of 409
- Clarence River region, northern N.S.W.:
Impact of river discharge on distribution and production of the school prawn 311
Movement and growth of tagged school prawns 645
- Copper toxicity to larvae of the crab *Paragrapsus quadridentatus* 1
- Currents and water properties in the north-central Great Barrier Reef during the south-east trade wind season 345
- Cyclomorphosis in *Daphnia carinata* from two adjacent sewage lagoons in South Australia 565
- Cyprinus carpio*, introduction and distribution of 551
- Dandenong Creek, a biological investigation of 275
- Daphnia carinata*, cyclomorphosis in 565
- Derwent River estuary, zooplankton distribution in relation to the hydrology of 763
- Diatom *Ditylum brightwellii*, heavy metal accumulation by 613
- Ditylum brightwellii*, heavy metal accumulation by 613
- Embryonic development of *Octopus tetricus* 19
- Empire fish, *see Hypseleotris compressus*
- Foraminifera, Recent, of an estuarine environment in Broken Bay, N.S.W. 355
- Fortescue, *see Centropogon australis*
- Gadopsis marmoratus*:
Feeding relationships of, in the Aberfeldy River, Vic. 725
Spawning and early development of, in the McKenzie River, Vic. 293
- Galaxias*, a new species of, from Tasmania 109
- Geometric method of hydrochemical investigations 259
- Goondnomdanepa* Lansbury, a review of 117
- Great Barrier Reef:
Belgian expedition to, in 1967 497, 509
Food and feeding habits of lethrinids from 623
North-central, currents and water properties in, during the south-east trade wind season 345
- Grayling, Australian, *see Prototroctes maraena*
- Gulf of Carpentaria, eastern, sea snakes of 325

- Hartz Lake and Hartz Creek, southern Tas., littoral rock fauna of 703
- Heavy metal accumulation by the marine diatom *Ditylum brightwellii* 613
- Heavy metals in sediments from the central New South Wales coastal region 777
- Herring, Australian, *see* *Arripis georgianus*
- Hobsons Bay benthos 141
- Hypseleotris compressus*, reproductive behaviour and early development of 585
- Leatherjackets, feeding ecology of three sympatric species, from a *Posidonia* seagrass habitat in New South Wales 631
- Leionura atun*, age and growth of, in south-eastern Australian waters 435
- Lethrinus chrysostomus*, food and feeding habits of 623
- Lizard Island mangroves, nematodes from in and around 497, 509
- Lobster, western rock, *see* *Panulirus longipes cygnus*
- Locomotor activity in the western rock lobster, *Panulirus longipes cygnus* 169
- Macrobenthos of Western Port, Vic., a quantitative survey of 445
- McKenzie River, Vic., spawning and early development of the river blackfish in 293
- Metapenaeus macleayi*:
Impact of river discharge on distribution and production of, in the Clarence River region 311
Movement and growth of, in the Clarence River region 645
- Microplankton and nanoplankton communities of an Australian coastal plain estuary 9
- Moreton Bay, Queensland: a nursery area for juvenile penaeid prawns 55
- Mud crab, *see* *Scylla serrata*
- Mytilus edulis*, *Pinnotheres hickmani* in, in Port Phillip Bay 127
- Nanoplankton and microplankton communities of an Australian coastal plain estuary 9
- Nematodes from in and around mangroves on Lizard Island 497, 509
- Nutrient cycling and primary production in Port Hacking, N.S.W. 803
- Panulirus longipes cygnus*, locomotor activity in 169
- Paragalaxias*, a new species of, from Tasmania 659
- Paragalaxias* Scott, a revision of 93
- Paragrapsus quadridentatus*, acute toxicity of copper, cadmium and zinc to larvae of 1
- Paralabidocera antarctica*, occurrence in an Antarctic saline lake 817
- Patiriella exigua* reproduction, spawning and development, and some comparisons with *P. calcar* 45
- Patiriella calcar*, comparisons with *P. exigua* in reproduction, spawning and development 45
- Penaeid prawns, juvenile, in Moreton Bay, Queensland 55
- Percichthyid fishes, freshwater and estuarine, morphological and biochemical systematics of 667
- Phosphorus and water inputs and outputs from four Victorian catchments 577
- Phosphorus status of the sediments of three eutrophic lakes in Victoria 263
- Phytoplankton distribution and light attenuation in Port Hacking estuary 31
- Pinnotheres hickmani* in wild and cultured *Mytilus edulis* in Port Phillip Bay 127
- Port Hacking, N.S.W.:
Nutrient cycling and primary production in 803
Phytoplankton distribution and light attenuation in the estuary 31
- Port of Melbourne, benthos: the Yarra River and Hobsons Bay 141
- Port Phillip Bay:
Benthos around an outfall of the Werribee sewage-treatment farm 157
Pinnotheres hickmani in wild and cultured *Mytilus edulis* 127
- Posidonia* seagrass habitat in N.S.W.:
Feeding ecology of *Centropogon australis* from 175
Feeding ecology of three sympatric species of leatherjackets 631
- Prawns, juvenile penaeid, in Moreton Bay, Queensland 55
- Prawns, school, *see* *Metapenaeus macleayi*
- Prototroctes maraena*, biology of 743
- Pteropods, thecosomatous, distribution off the central coast of Western Australia 853
- Recent Foraminifera of an estuarine environment in Broken Bay, N.S.W. 355
- River blackfish, *see* *Gadopsis marmoratus*
- Rottneest Island, W.A., age, spawning time and fecundity of Australian herring from 599

- Salmon, *see* Australian salmon
- Salmo trutta*, feeding relationships of, in the Aberfeldy River, Vic. 725
- Saucer scallop, *see* *Amusium balloti*
- School prawns, *see* *Metapenaeus macleayi*
- Scylla serrata*, opening of bivalve shells by 699
- Seagrass, *see* *Posidonia*
- Sea snakes of the eastern Gulf of Carpentaria 325
- Sewage bacteria in marine habitats, biological control agents of 335
- Sewage lagoons in South Australia, cyclomorphosis in *Daphnia carinata* from 565
- Simulium ornatipes*, uptake of zinc by the aquatic larvae of 299
- Snoek, *see* *Leionura atun*
- Spencer Gulf, S.A., a reappraisal of the tides in 467
- Starfish (*Patiriella exigua*), reproduction, spawning and development of 45
- Storm surges in Torres Strait, a statistical analysis of 479
- Surface circulation features off Western Australia during 1973–1976 187
- Tallowa Dam (Shoalhaven River, N.S.W.), observations on fish fauna below, during river flow stoppages 543
- Thecosomatous pteropods, distribution off the central coast of Western Australia 853
- Tides in Spencer Gulf, S.A., a reappraisal of 467
- Torres Strait storm surges, a statistical analysis of 479
- Trace metal levels found in oceanic waters around Australia, analytical acceptability of 193
- Trout, brown, *see* *Salmo trutta*
- Water and phosphorus inputs and outputs from four Victorian catchments 577
- Water mites from Australia 77
- Werribee sewage-treatment farm, benthos around an outfall of 157
- Western Port, Vic., a quantitative survey of the macrobenthos of 445
- Western rock lobster, *see* *Panulirus longipes cygnus*
- Yarra River benthos 141
- Zinc toxicity to larvae of the crab *Paragrapsus quadridentatus* 1
- Zinc uptake by the aquatic larvae of *Simulium ornatipes* 299
- Zooplankton distribution in relation to the hydrology of the Derwent River estuary 763

Index: Volumes 1–25

A consolidated index of Volumes 1–25 (1950–1974) of the *Australian Journal of Marine and Freshwater Research* has been prepared in line print-out form by Dr A. A. Day, Department of Geology and Geophysics, University of Sydney. It is Report 1977/1 in the Geological Sciences. Copies may be obtained free of charge from the Secretary, Department of Geology and Geophysics, University of Sydney, N.S.W. 2006.

